

**Epi Profile**  
**HIV/AIDS cases and rates (per 100,000 population) in KKR, by sex and race/ethnicity, 2004**

Race/ethnicity	Males			Females			Total		
	No.	%	Rate	No.	%	Rate	No.	%	Rate
White, not Hispanic	29	62	a	9	56	a	38	60	a
Black, not Hispanic	15	32	a	7	44	a	22	35	a
Hispanic	*	6	a	0	0	a	*	5	a
Asian/Pacific Islander	0	0	a	0	0	a	0	0	a
American Indian/Alaska Native	0	0	a	0	0	a	0	0	a
Unknown/Multiple Race	0	0	a	0	0	a	0	0	a
Total	47	100	a	16	100	a	63	100	a

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Percentages may not total to 100 due to rounding.

a Not applicable.

**Epi Profile**  
**HIV/AIDS cases among persons in KKR, by sex and age at diagnosis, 2004**

Age (yrs)	Males		Females		Total	
	No.	%	No.	%	No.	%
<13	0	0	0	0	0	0
13-14	0	0	0	0	0	0
15-24	*	2	*	13	*	5
25-34	13	28	5	31	18	29
35-44	21	45	5	31	26	41
45-54	8	17	*	19	11	17
55-64	*	9	*	6	5	8
>=65	0	0	0	0	0	0
Total	47	100	16	100	63	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown age or sex.

Percentages may not total to 100 due to rounding.

**Epi Profile**  
**HIV/AIDS cases among persons in KKR, by sex and exposure category, 2004**

Exposure category	Males		Females		Total	
	No.	%	No.	%	No.	%
Male-to-male sex	27	57	a	a	27	43
Injection drug use (IDU)	*	6	6	38	9	14
Male-to-male sex and IDU	*	4	a	a	*	3
Heterosexual contact	*	4	*	13	*	6
Mother with/at risk for HIV	0	0	0	0	0	0
Other/unknown	13	28	8	50	21	33
Total	47	100	16	100	63	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Percentages may not total to 100 due to rounding.

a Not applicable.

**Epi Profile**  
**HIV/AIDS cases among persons in KKR, by race/ethnicity and exposure category, 2004**

Exposure category	White, not Hispanic		Black, not Hispanic		Hispanic		Asian/ Pacific Islander		American Indian/ Alaska Native		Unknown/ Multiple Race		Total	
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
Male-to-male sex	22	58	*	18	*	33	0	0	0	0	0	0	27	43
Injection drug use (IDU)	*	11	5	23	0	0	0	0	0	0	0	0	9	14
Male-to-male sex and IDU	0	0	*	9	0	0	0	0	0	0	0	0	*	3
Heterosexual contact	*	8	*	5	0	0	0	0	0	0	0	0	*	6
Mother with/at risk for HIV	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Other/unknown	9	24	10	45	*	67	0	0	0	0	0	0	21	33
Total	38	100	22	100	*	100	0	0	0	0	0	0	63	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Percentages may not total to 100 due to rounding.

**Epi Profile**  
**HIV/AIDS cases among persons in KKR, by sex and tuberculosis comorbidity, 2004**

<b>Tuberculosis diagnosis</b>	<b>Males</b>		<b>Females</b>		<b>Total</b>	
	<b>No.</b>	<b>%</b>	<b>No.</b>	<b>%</b>	<b>No.</b>	<b>%</b>
Not diagnosed	47	100	16	100	63	100
Definitive case	0	0	0	0	0	0
Presumptive case	0	0	0	0	0	0
Total	47	100	16	100	63	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Percentages may not total to 100 due to rounding.

### Epi Profile

Numbers and rates (per 100,000 population) of deaths among persons with HIV/AIDS in KKR, by sex and race/ethnicity, 2004

Race/ethnicity	Males			Females			Total		
	No.	%	Rate	No.	%	Rate	No.	%	Rate
White, not Hispanic	*	20	a	*	75	a	*	44	a
Black, not Hispanic	*	60	a	*	25	a	*	44	a
Hispanic	*	20	a	0	0	a	*	11	a
Asian/Pacific Islander	0	0	a	0	0	a	0	0	a
American Indian/Alaska Native	0	0	a	0	0	a	0	0	a
Unknown/Multiple Race	0	0	a	0	0	a	0	0	a
Total	5	100	a	*	100	a	9	100	a

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Percentages may not total to 100 due to rounding.

a Not applicable.

**Epi Profile**  
**HIV/AIDS cases among persons in KKR, by year of diagnosis and sex**

	2000	2001	2002	2003	2004	Cumulative cases through 2004
<b>Sex</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>
Males	46	49	48	50	47	961
Females	10	7	16	16	16	159
Total	56	56	64	66	63	1,120

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

**Epi Profile**  
**HIV/AIDS cases among persons in KKR, by year of diagnosis and race/ethnicity**

	2000	2001	2002	2003	2004	Cumulative cases through 2004
Race/ethnicity	No.	No.	No.	No.	No.	No.
White, not Hispanic	43	42	51	46	38	817
Black, not Hispanic	11	11	13	19	22	275
Hispanic	*	*	0	*	*	20
Asian/Pacific Islander	*	*	0	0	0	4
American Indian/Alaska Native	0	0	0	0	0	1
Unknown/Multiple Race	0	0	0	0	0	3
Total	56	56	64	66	63	1,120

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.



**Epi Profile**  
**HIV/AIDS cases among persons in KKR, by year of diagnosis and age at diagnosis**

	2000	2001	2002	2003	2004	Cumulative cases through 2004
Age (yrs)	No.	No.	No.	No.	No.	No.
<13	0	*	0	0	0	5
13-14	0	0	0	0	0	0
15-24	7	7	5	14	*	147
25-34	17	17	22	19	18	448
35-44	28	22	26	17	26	360
45-54	*	5	9	11	11	112
55-64	*	*	*	*	5	39
>=65	0	0	*	*	0	9
Total	56	56	64	66	63	1,120

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown age.

**Epi Profile**  
**HIV/AIDS cases among persons in KKR, by year of diagnosis and exposure category**

	2000	2001	2002	2003	2004	Cumulative cases through 2004
Exposure category	No.	No.	No.	No.	No.	No.
Male-to-male sex	30	28	32	39	27	678
Injection drug use (IDU)	11	*	*	5	9	149
Male-to-male sex and IDU	*	*	*	0	*	46
Heterosexual contact	*	11	22	12	*	122
Mother with/at risk for HIV	0	*	0	0	0	5
Other/unknown	7	8	5	10	21	120
Total	56	56	64	66	63	1,120

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

**Epi Profile**  
**AIDS cases among persons in KKR, by year of diagnosis and sex**

	2000	2001	2002	2003	2004	Cumulative cases through 2004
<b>Sex</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>
Males	21	21	28	29	24	594
Females	*	*	5	13	*	74
Total	24	25	33	42	28	668

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.  
 Total includes 0 persons of unknown sex.

**Epi Profile**  
**AIDS cases among persons in KKR, by year of diagnosis and race/ethnicity**

	2000	2001	2002	2003	2004	Cumulative cases through 2004
<b>Race/ethnicity</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>
White, not Hispanic	18	18	26	31	16	496
Black, not Hispanic	5	7	6	10	11	153
Hispanic	0	0	*	*	*	13
Asian/Pacific Islander	*	0	0	0	0	3
American Indian/Alaska Native	0	0	0	0	0	1
Unknown/Multiple Race	0	0	0	0	0	2
Total	24	25	33	42	28	668

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.

**Epi Profile**  
**AIDS cases among persons in KKR, by year of diagnosis and age at diagnosis**

	2000	2001	2002	2003	2004	Cumulative cases through 2004
Age (yrs)	No.	No.	No.	No.	No.	No.
<13	0	0	0	0	0	4
13-14	0	0	0	0	0	0
15-24	0	*	0	0	*	27
25-34	7	6	*	10	9	259
35-44	11	9	19	21	10	241
45-54	5	*	5	9	5	94
55-64	*	*	*	*	*	35
>=65	0	0	*	*	0	8
Total	24	25	33	42	28	668

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.  
 Total includes 0 persons of unknown age.

**Epi Profile**  
**AIDS cases among persons in KKR, by year of diagnosis and exposure category**

	2000	2001	2002	2003	2004	Cumulative cases through 2004
Exposure category	No.	No.	No.	No.	No.	No.
Male-to-male sex	12	12	21	18	17	436
Injection drug use (IDU)	6	*	*	7	*	88
Male-to-male sex and IDU	*	*	0	*	*	29
Heterosexual contact	*	*	*	7	5	57
Mother with/at risk for HIV	0	0	0	0	0	4
Other/unknown	*	*	*	9	*	54
Total	24	25	33	42	28	668

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.  
 "Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

**Epi Profile**  
**Numbers of persons living with HIV/AIDS in KKR, by year and sex**

	2000	2001	2002	2003	2004
<b>Sex</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>
Males	473	505	538	575	617
Females	87	90	105	117	129
Total	560	595	643	692	746

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS. There were 0 persons with unknown sex.

**Epi Profile**  
**Numbers of persons living with HIV/AIDS in KKR, by year and race/ethnicity**

	2000	2001	2002	2003	2004
<b>Race/ethnicity</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>
White, not Hispanic	400	432	468	503	537
Black, not Hispanic	144	146	158	173	191
Hispanic	11	11	11	12	14
Asian/Pacific Islander	*	*	*	*	*
American Indian/Alaska Native	0	0	0	0	0
Unknown/Multiple Race	*	*	*	*	*
Total	560	595	643	692	746

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.



**Epi Profile**  
**Numbers of persons living with HIV/AIDS in KKR, by year and current age**

	2000	2001	2002	2003	2004
Current age (yrs)	No.	No.	No.	No.	No.
<13	*	*	*	*	*
13-14	*	*	*	*	*
15-24	5	7	8	18	21
25-34	78	95	112	132	148
35-44	268	276	295	306	328
45-54	160	164	174	178	186
55-64	36	40	39	40	45
>=65	11	10	12	15	15
Total	560	595	643	692	746

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS. There were 0 persons with unknown age.

**Epi Profile**  
**Numbers of persons living with HIV/AIDS in KKR, by year and exposure category**

	2000	2001	2002	2003	2004
<b>Exposure category</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>
Male-to-male sex	333	352	378	411	437
Injection drug use (IDU)	97	94	92	92	96
Male-to-male sex and IDU	21	24	23	19	20
Heterosexual contact	56	65	86	97	99
Mother with/at risk for HIV	*	*	*	*	*
Other/unknown	51	57	61	70	91
Total	560	595	643	692	746

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

**Epi Profile**  
**Numbers of deaths among persons with HIV/AIDS in KKR, by year of death and sex**

	2000	2001	2002	2003	2004	Cumulative deaths through 2004
Sex	No.	No.	No.	No.	No.	No.
Males	17	17	15	13	5	344
Females	*	*	*	*	*	30
Total	19	21	16	17	9	374

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS. Total includes 0 persons of unknown sex.

**Epi Profile**  
**Numbers of deaths among persons with HIV/AIDS in KKR, by year of death and race/ethnicity**

	2000	2001	2002	2003	2004	Cumulative deaths through 2004
<b>Race/ethnicity</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>
White, not Hispanic	10	10	15	11	*	280
Black, not Hispanic	8	9	*	*	*	84
Hispanic	0	*	0	0	*	6
Asian/Pacific Islander	0	0	0	0	0	1
American Indian/Alaska Native	*	0	0	0	0	1
Unknown/Multiple Race	0	0	0	*	0	2
Total	19	21	16	17	9	374

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

**Epi Profile**  
**Numbers of deaths among persons with HIV/AIDS in KKR, by year of death and age at death**

	2000	2001	2002	2003	2004	Cumulative deaths through 2004
Age (yrs)	No.	No.	No.	No.	No.	No.
<13	0	0	0	0	0	2
13-14	0	0	0	0	0	0
15-24	0	0	*	0	0	5
25-34	*	*	*	*	*	119
35-44	7	13	9	7	5	145
45-54	6	5	*	8	*	75
55-64	*	0	*	*	0	22
>=65	0	*	0	0	0	6
Total	19	21	16	17	9	374

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons with unknown age.

**Epi Profile**  
**Numbers of deaths among persons with HIV/AIDS in KKR, by year of death and exposure category**

	2000	2001	2002	2003	2004	Cumulative deaths through 2004
<b>Exposure category</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>
Male-to-male sex	12	9	6	6	*	241
Injection drug use (IDU)	*	7	6	5	5	53
Male-to-male sex and IDU	*	*	*	*	*	26
Heterosexual contact	*	*	*	*	*	23
Mother with/at risk for HIV	0	0	0	0	0	2
Other/unknown	*	*	*	*	0	29
<b>Total</b>	<b>19</b>	<b>21</b>	<b>16</b>	<b>17</b>	<b>9</b>	<b>374</b>

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.